

Nazwa produktu	Numer produktu	Wymiary komory spalania				Wymiary przeszklenia drzwiczek		
		Wysokość	Szerokość	Głębokość		Wysokość	Szerokość	Głębokość
ALAKO 01	082Q KK 082.Q	495 mm	340 mm	216 mm	082Q	330	445	
ALAKO 02	082P KK 082.P	495 mm	340 mm	216 mm	082P	330	445	
ALEDO 01	182C KK 182.C	380 mm	518 mm	220 mm	182C	523	362	
ALEDO 02	182C KK 182.C	380 mm	518 mm	220 mm	182C	523	362	
ALEDO 03	182C KK 182.C	380 mm	518 mm	220 mm	182C	523	362	
ALEDO 04	182C KK 182.C	380 mm	518 mm	220 mm	182C	523	362	
ALINE	129D KK 129.D	500 mm	340 mm	230 mm	129D	360	413	
ALPERA E01	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA E02	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA E03	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA E04	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA E05	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA E06	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA E07	146E KK 146.E	400 mm	344 mm	290 mm	146E	344	370	
ALPERA F01	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA F02	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA F03	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA F04	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA F05	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA F06	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA F07	146F KK 146.F	400 mm	344 mm	290 mm	146F	344	370	
ALPERA G01	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALPERA G02	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALPERA G03	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALPERA G04	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALPERA G05	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALPERA G06	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALPERA G07	146G KK 146.G	400 mm	344 mm	290 mm	146G	344	370	
ALTEA	136D KK 136.D	330 mm	520 mm	270 mm	136D	470	273	
ANGLE L 2g L 66.44.44.01	AL2LE 01	470 mm	507 mm	330 mm	055L	565	322	345
ANGLE L 2g L 66.44.44.02	AL2LE 02	470 mm	507 mm	330 mm	055L	565	322	345
ANGLE L 2g L 66.44.44.03	AL2LE 03	470 mm	507 mm	330 mm	147B	565	322	345
ANGLE L 2g L 66.44.44.04	AL2LE 04	470 mm	507 mm	330 mm	147B	565	322	345
ANGLE L 2g L 66.51.44.01	AL2LG 01	540 mm	507 mm	330 mm	147Q	620	472	400
ANGLE L 2g L 88.51.44.01	AL2LF 01	540 mm	727 mm	330 mm	055N	840	472	400
ANGLE L 2g L 88.51.44.02	AL2LF 02	540 mm	727 mm	330 mm	055N	840	472	400
ANGLE L 2g L 88.51.44.03	AL2LF 03	540 mm	727 mm	330 mm	147H	840	472	400
ANGLE L 2g L 88.51.44.04	AL2LF 04	540 mm	727 mm	330 mm	147H	840	472	400
ANGLE L 2g S 66.44.44.01	AL2SE 01	470 mm	507 mm	330 mm	139B	565	322	345
ANGLE L 2g S 66.44.44.02	AL2SE 02	470 mm	507 mm	330 mm	139B	565	322	345
ANGLE L 2g S 66.44.44.03	AL2SE 03	470 mm	507 mm	330 mm	139D	565	322	345
ANGLE L 2g S 66.44.44.04	AL2SE 04	470 mm	507 mm	330 mm	139D	565	322	345
ANGLE L 2g S 88.51.44.01	AL2SF 01	540 mm	727 mm	330 mm	139K	840	472	400
ANGLE L 2g S 88.51.44.02	AL2SF 02	540 mm	727 mm	330 mm	139K	840	472	400
ANGLE L 2g S 88.51.44.03	AL2SF 03	540 mm	727 mm	330 mm	139M	840	472	400
ANGLE L 2g S 88.51.44.04	AL2SF 04	540 mm	727 mm	330 mm	139M	840	472	400
ANGLE R 2g L 66.44.44.01	AR2LE 01	470 mm	507 mm	330 mm	055R	565	322	345
ANGLE R 2g L 66.44.44.02	AR2LE 02	470 mm	507 mm	330 mm	055R	565	322	345
ANGLE R 2g L 66.44.44.03	AR2LE 03	470 mm	507 mm	330 mm	147A	565	322	345
ANGLE R 2g L 66.44.44.04	AR2LE 04	470 mm	507 mm	330 mm	147A	565	322	345
ANGLE R 2g L 66.51.44.01	AR2LG 01	540 mm	507 mm	330 mm	147N	620	472	400
ANGLE R 2g L 88.51.44.01	AR2LF 01	540 mm	727 mm	330 mm	055U	840	472	400
ANGLE R 2g L 88.51.44.02	AR2LF 02	540 mm	727 mm	330 mm	055U	840	472	400
ANGLE R 2g L 88.51.44.03	AR2LF 03	540 mm	727 mm	330 mm	147G	840	472	400
ANGLE R 2g L 88.51.44.04	AR2LF 04	540 mm	727 mm	330 mm	147G	840	472	400
ANGLE R 2g S 66.44.44.01	AR2SE 01	470 mm	507 mm	330 mm	139A	565	322	345
ANGLE R 2g S 66.44.44.02	AR2SE 02	470 mm	507 mm	330 mm	139A	565	322	345
ANGLE R 2g S 66.44.44.03	AR2SE 03	470 mm	507 mm	330 mm	139C	565	322	345
ANGLE R 2g S 66.44.44.04	AR2SE 04	470 mm	507 mm	330 mm	139C	565	322	345
ANGLE R 2g S 88.51.44.01	AR2SF 01	540 mm	727 mm	330 mm	139J	840	472	400
ANGLE R 2g S 88.51.44.02	AR2SF 02	540 mm	727 mm	330 mm	139J	840	472	400
ANGLE R 2g S 88.51.44.03	AR2SF 03	540 mm	727 mm	330 mm	139L	840	472	400
ANGLE R 2g S 88.51.44.04	AR2SF 04	540 mm	727 mm	330 mm	139L	840	472	400
ARONA 01	075D KK 075.D	475 mm	344 mm	214 mm	075A	300	401	
ASKJA 01	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 02	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 03	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 04	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 04X	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 05	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 06	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 06A	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 07	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 07A	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 08	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 10	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 11	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 12	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 13	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 13A	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 19	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 19A	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 22	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKJA 22A	069A KK 069.A	460 mm	360 mm	350 mm	069A	370	420	
ASKR 01	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 02	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 03	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 04	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 07	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 12	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 16	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR 17	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	

Nazwa produktu	Numer produktu	Wymiary komory spalania				Wymiary przeszklenia drzwiczek		
		Wysokość	Szerokość	Głębokość			Wysokość	Szerokość
ASKR 21	069D KK 069.D	460 mm	284 mm	350 mm	069D	370	400	
ASKR H 01	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASKR H 02	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASKR H 04	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASKR H 08	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASKR H 12	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASKR H 14	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASKR H 20	069E KK 069.E	460 mm	284 mm	350 mm	069E	370	400	
ASTORGA 01	060A KK 060.A	470 mm	421 mm	466 mm	060A	505	478	
ASTORGA 02	060A KK 060.A	470 mm	421 mm	466 mm	060A	505	478	
ASTORGA 03	060A KK 060.A	470 mm	421 mm	466 mm	060A	505	478	
AVILA 01	056C KK 056.C	520 mm	346 mm	224 mm	026A	375	440	
AVILA 02	056C KK 056.C	520 mm	346 mm	224 mm	026A	375	440	
AVILA 03	056C KK 056.C	520 mm	346 mm	224 mm	026A	375	440	
AVILA 04	056C KK 056.C	520 mm	346 mm	224 mm	026A	375	440	
AVILA 05	056C KK 056.C	520 mm	346 mm	224 mm	026A	375	440	
AVILA 06	056C KK 056.C	520 mm	346 mm	224 mm	026A	375	440	
AVILA T 01	056B KK 056.B	520 mm	346 mm	224 mm	026A	375	440	
AVILA T 02	056B KK 056.B	520 mm	346 mm	224 mm	026A	375	440	
AVILA T 03	056B KK 056.B	520 mm	346 mm	224 mm	026A	375	440	
AVILA T 04	056B KK 056.B	520 mm	346 mm	224 mm	026A	375	440	
BELO 3S 01	124B KK 124.B	547 mm	328 mm	291 mm	124B	370	470	
BELO 3S 01 A	124D KK 124.D	547 mm	328 mm	291 mm	124D	370	470	
BELO 3S 02	124B KK 124.B	547 mm	328 mm	291 mm	124B	370	470	
BELO 3S 03	124B KK 124.B	547 mm	328 mm	291 mm	124B	370	470	
BELO 3S 04	124B KK 124.B	547 mm	328 mm	291 mm	124B	370	470	
BELORADO 01	124A KK 124.A	547 mm	328 mm	291 mm	124A	370	470	
BELORADO 01 A	124C KK 124.C	547 mm	328 mm	291 mm	124C	370	470	
BELORADO 02	124A KK 124.A	547 mm	328 mm	291 mm	124A	370	470	
BELORADO 02 A	124C KK 124.C	547 mm	328 mm	291 mm	124C	370	470	
BELORADO 03	124A KK 124.A	547 mm	328 mm	291 mm	124A	370	470	
BELORADO 03 A	124C KK 124.C	547 mm	328 mm	291 mm	124C	370	470	
BELORADO 04	124A KK 124.A	547 mm	328 mm	291 mm	124A	370	470	
BELORADO 04 A	124C KK 124.C	547 mm	328 mm	291 mm	124C	370	470	
BILBAO 01	030C KK 030.C	440 mm	383 mm	285 mm	031	360	455	
BILBAO 02	030C KK 030.C	440 mm	383 mm	285 mm	031	360	455	
BILBAO 03	030C KK 030.C	440 mm	383 mm	285 mm	031	535	300	
BOLA	082D KK 082.D	495 mm	340 mm	216 mm	082D	330	445	
BOLA 02	082H KK 082.H	495 mm	340 mm	216 mm	082H	330	445	
BROTO 01	136B KK 136.B	328 mm	347 mm	197 mm	136B	280	273	
CATANIA 01	136C KK 136.C	328 mm	347 mm	197 mm	136C	276	269	
CATANIA 02	136E KK 136.E	328 mm	347 mm	197 mm	136E	276	269	
COLIMA M	085A KK 085.A	440 mm	620 mm	285 mm	085A	590	360	
COTOPAXI 01	020C KK 020.C	290 mm	515 mm	270 mm	020A	535	300	
COTOPAXI 02	020C KK 020.C	290 mm	515 mm	270 mm	020A	535	300	
DYNAMIC 2G 44.55.01	159A KV 159.A	428 mm	354 mm	263 mm	159A	404	510	
DYNAMIC 2G 44.55.13	159C KV 159.C	428 mm	354 mm	181 mm	159C	404	510	
DYNAMIC 2G 66.50.01	173A KV 173.A	428 mm	574 mm	263 mm	173A	624	460	
DYNAMIC 2G 66.50.13	173C KV 173.C	428 mm	574 mm	181 mm	173C	624	460	
DYNAMIC B2G 44.55.01	159B KV 159.B	428 mm	354 mm	263 mm	159B	404	510	
DYNAMIC B2G 44.55.13	159D KV 159.D	428 mm	354 mm	181 mm	159D	404	510	
DYNAMIC B2G 66.50.01	173B KV 173.B	428 mm	574 mm	263 mm	173B	624	460	
DYNAMIC B2G 66.50.13	173D KV 173.D	428 mm	574 mm	181 mm	173D	624	460	
ECO 910	003A KK 003.A	440 mm	270 mm	290 mm	003A	265	450	
ECOSTADIUM	045A KK 045.A	525 mm	351 mm	281 mm	045A	470	500	
ECOTASTE 06	056F KK 056.F	520 mm	346 mm	224 mm	056F	375	440	
EGMONT	052A KK 052.A	375 mm	413 mm	373 mm	052A	465	396	
ELIPSO 04	056H KK 056.H	520 mm	346 mm	224 mm	056H	375	440	
ESPEM 01	082F KK 082.F	495 mm	340 mm	216 mm	082F	330	445	
ESPERA 01	146R KK 146.R	390 mm	340 mm	370 mm	146R	341	370	
ESPERA 02	146R KK 146.R	390 mm	340 mm	370 mm	146R	341	370	
ESPERA 03	146R KK 146.R	390 mm	340 mm	370 mm	146R	341	370	
ESQUINA	163A KK 163.A	418 mm	266 mm	266 mm	163A	310	408	310
ESTELLI 00	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 01	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 02	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 03	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 03A	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 04	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 06	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 17	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 18	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 19	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 22	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ESTELLI 31	094A KK 094.A	460 mm	384 mm	290 mm	094A	270	420	
ETNA N 02	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
ETNA N 03	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
ETNA N 04	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
EVORA 01	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA 01 AKUM	146C KK 146.C	400 mm	344 mm	290 mm	146C	344	370	
EVORA 02	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA 02 AKUM	146C KK 146.C	400 mm	344 mm	290 mm	146C	344	370	
EVORA 03	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA 03 AKUM	146C KK 146.C	400 mm	344 mm	290 mm	146C	344	370	
EVORA 04	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA 04 AKUM	146C KK 146.C	400 mm	344 mm	290 mm	146C	344	370	
EVORA 05	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA 06	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA 07	146A KK 146.A	400 mm	344 mm	290 mm	146A	344	370	
EVORA T 01	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	
EVORA T 02	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	
EVORA T 03	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	

Nazwa produktu	Numer produktu	Wymiary komory spalania			Wymiary przeszklenia drzwiczek			
		Wysokość	Szerokość	Głębokość		Wysokość	Szerokość	Głębokość
EVORA T 04	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	
EVORA T 05	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	
EVORA T 06	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	
EVORA T 07	146B KK 146.B	400 mm	344 mm	290 mm	146B	344	370	
FIRENZE	001G KK 001.G	470 mm	364 mm	297 mm	001G	286	485	
GERONA	136A KK 136.A	328 mm	347 mm	197 mm	136A	280	273	
GETARIA 01	077A KK 077.A	520 mm	346 mm	224 mm	026A	385	460	
GETARIA 02	077A KK 077.A	520 mm	346 mm	224 mm	026A	385	460	
GETARIA 03	077A KK 077.A	520 mm	346 mm	224 mm	026A	385	460	
GIRONA 01	096C KV 096.C	445 mm	520 mm	284 mm	096A	605	420	
GIRONA 02	096C KV 096.C	445 mm	520 mm	284 mm	096A	605	420	
GIRONA 03	096C KV 096.C	445 mm	520 mm	284 mm	096A	605	420	
GRANADA 01	116A KK 116.A	470 mm	335 mm	284 mm	116A	319	400	
GRANADA 02	116A KK 116.A	470 mm	335 mm	284 mm	116A	319	400	
GRANADA 03	116A KK 116.A	470 mm	335 mm	284 mm	116A	319	400	
GRANADA 04	116A KK 116.A	470 mm	335 mm	284 mm	116A	319	400	
HARO	008F KK 008.F	350 mm	352 mm	245 mm	008A	310	355	
HEAT 2g 42.50.01	174C KV 174.C	389 mm	336 mm	280 mm	174C	384	460	
HEAT 2g 59.44.13	174Z KV 174.Z	340 mm	506 mm	210 mm	174Z	554	400	
HEAT 2g 59.50.01	174A KV 174.A	390 mm	506 mm	330 mm	174A	554	460	
HEAT 2g 59.50.13	174G KV 174.G	390 mm	506 mm	210 mm	174G	554	460	
HEAT 2g 70.44.01	174B KV 174.B	340 mm	616 mm	330 mm	174B	664	400	
HEAT 2g 70.44.13	174H KV 174.H	340 mm	616 mm	210 mm	174H	664	400	
HEAT 2g 70.50.01	179H KV 179.H	390 mm	616 mm	330 mm	179H	664	460	
HEAT 2g L 110.50.01	179K KV 179.K	545 mm	1008 mm	289 mm	179K	1071	460	
HEAT 2g L 66.50.01	179E KV 179.E	545 mm	568 mm	289 mm	179E	631	460	
HEAT 2g L 88.50.01	179F KV 179.F	545 mm	788 mm	289 mm	179F	851	460	
HEAT 2g L 88.66.01	179L KV 179.L	696 mm	788 mm	289 mm	179L	851	626	
Heat C 2g L 65.51.31.01(21)	153B KV 153.B	545 mm	475 mm	285 mm	153B	652	463	305
Heat C 2g L 80.51.31.01(21)	153D KV 153.D	545 mm	625 mm	285 mm	153D	804	463	305
HEAT R(L) 2g S 50.44.33.13(23)	174E KV 174.E	440 mm	365 mm	210 mm		477	402	307
HEAT R(L) 2g S 60.44.33.13(23)	174T KV 174.T	440 mm	465 mm	210 mm		577	402	307
HEAT R(L) 2g S 70.44.33.13(23)	179A KV 179.A	440 mm	565 mm	210 mm		677	402	307
Heat R/L 2g L 65.51.40.01	174K KV 174.K	545 mm	545 mm	285 mm	174K	650	466	400
Heat R/L 2g L 81.51.40.01	174X KV 174.X	545 mm	705 mm	285 mm	174X	810	466	400
HEAT T 2g 70.50.01	179J KV 179.J	473 mm	616 mm	347 mm	179J	664	460	
HEAT W 2g 59.50.01	174F KV 174.F	343 mm	506 mm	330 mm	174F	554	460	
HEAT W 2g 70.50.01	179G KV 179.G	378 mm	616 mm	330 mm	179G	664	400	
HEAT WA 2g 59.50.01	174D KV 174.D	390 mm	506 mm	330 mm	174D	554	460	
HEKLA 01	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HEKLA 02	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HEKLA 03	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HEKLA 04	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HEKLA 05	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HEKLA 06	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HEKLA 09	050A KK 050.A	460 mm	360 mm	290 mm	050A	300	520	
HIERRO 00	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 01	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 02	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 02A	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 03	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 04	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 05	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 05A	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 07	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 12	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 12A	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 17	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 18	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 23	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 29	090A KK 090.A	460 mm	284 mm	300 mm	090A	320	400	
HIERRO 3S	090B KK 090.B	460 mm	284 mm	300 mm	090B	320	400	
HIERRO 3SF	090C KK 090.C	460 mm	284 mm	300 mm	090C	320	400	
IRUN 01	155A KK 155.A	428 mm	297 mm	323 mm	155A	381	790	108
IRUN 02	155A KK 155.A	428 mm	297 mm	323 mm	155A	381	790	108
IRUN 03	155A KK 155.A	428 mm	297 mm	323 mm	155A	381	790	108
IRUN 04	155A KK 155.A	428 mm	297 mm	323 mm	155A	381	790	108
IRUN 05	155A KK 155.A	428 mm	297 mm	323 mm	155A	381	790	108
KV 025.L	025L KV 025L	435 mm	506 mm	317 mm	025L	575	355	
KV 025.M	025M KV 025M	435 mm	506 mm	317 mm	025L	480	355	
KV 025.M 02PR	025M KV 025M	435 mm	506 mm	317 mm	025L	480	355	
KV 025F 01	025F KV 025F	495 mm	279 mm	351 mm	025A	335	565	
KV 025F 01PR	025F KV 025F	495 mm	279 mm	351 mm	025A	335	565	
KV 025F 02	025F KV 025F	495 mm	279 mm	351 mm	025A	335	565	
KV 025F R01	025F KV 025F	495 mm	279 mm	351 mm	025A	335	565	
KV 025F R01PR	025F KV 025F	495 mm	279 mm	351 mm	025A	335	565	
KV 025F R02	025F KV 025F	495 mm	279 mm	351 mm	025A	335	565	
KV 025G 01	025G KV 025.G	470 mm	352 mm	538 mm	025G	385	400	
KV 025G 02	025G KV 025.G	470 mm	352 mm	538 mm	025G	385	400	
KV 025G 03	025G KV 025.G	470 mm	352 mm	538 mm	025G	385	400	
KV 025L 02PR	025L KV 025L	435 mm	506 mm	317 mm	025L	575	355	
KV 025LN 01	025R KV 025.R	400 mm	574 mm	283 mm	025R	524	310	
KV 025LN 02	025R KV 025.R	400 mm	574 mm	283 mm	025R	524	310	
KV 025LN 03	025R KV 025.R	400 mm	574 mm	283 mm	025R	524	310	
KV 025LN 04	025T KV 025.T	400 mm	574 mm	283 mm	025T	524	310	
KV 025N 01	025N KV 025.N	470 mm	352 mm	398 mm	025N	385	400	
KV 025N 01 BD	025S KV 025.S	470 mm	352 mm	367 mm	025S	385	400	
KV 025N 02	025N KV 025.N	470 mm	352 mm	398 mm	025N	385	400	
KV 025N 02 BD	025S KV 025.S	470 mm	352 mm	367 mm	025S	385	400	
KV 025N 03	025N KV 025.N	470 mm	352 mm	398 mm	025N	385	400	
KV 025N 03 BD	025S KV 025.S	470 mm	352 mm	367 mm	025S	385	400	
KV 025W 01	025W KV 025.W	400 mm	574 mm	260 mm	025W	524	310	

Nazwa produktu	Numer produktu	Wymiary komory spalania				Wymiary przeszklenia drzwiczek		
		Wysokość	Szerokość	Głębokość		Wysokość	Szerokość	Głębokość
KV 025W 01 BD	025Z KV 025.Z	400 mm	574 mm	260 mm	025Z	524	310	
KV 025W 02	025V KV 025.V	400 mm	574 mm	260 mm	025V	524	310	
KV 025W 02 BD	151A KV 151.A	400 mm	574 mm	260 mm	151A	524	310	
KV 055A	055A KV 055.A	500 mm	802 mm	308 mm	055A	855	385	
KV 055A N	055A KV 055.A5	500 mm	802 mm	308 mm	055A	855	385	
KV 055A N ST	055D KV 055.D	500 mm	802 mm	308 mm	055D	855	385	
KV 055A N/ORT	055A KV 055.A5	500 mm	802 mm	308 mm	055A	855	385	
KV 055A/ORT	055A KV 055.A	500 mm	802 mm	308 mm	055A	855	385	
KV 055B	055B KV 055.B	500 mm	582 mm	308 mm	055B	635	385	
KV 055B N	055B KV 055.B5	500 mm	582 mm	308 mm	055B	635	385	
KV 055B N ST	055E KV 055.E	500 mm	582 mm	308 mm	055E	635	385	
KV 055B N/ORT	055B KV 055.B5	500 mm	582 mm	308 mm	055B	635	385	
KV 055B/ORT	055B KV 055.B	500 mm	582 mm	308 mm	055B	635	385	
KV 055L	055L KV 055.L	500 mm	507 mm	310 mm	055L	565	322	345
KV 055L/ORT	055L KV 055.L	500 mm	507 mm	310 mm	055L	565	322	345
KV 055R	055R KV 055.R	500 mm	507 mm	310 mm	055R	565	322	345
KV 055R/ORT	055R KV 055.R	500 mm	507 mm	310 mm	055R	565	322	345
KV 065A N	055C KV 055.C	565 mm	1017 mm	318 mm	055C	985	375	
KV 065A N ST	055F KV 055.F	565 mm	1017 mm	318 mm	055F	985	375	
KV 065A N/ORT	055C KV 055.C	565 mm	1017 mm	318 mm	055C	985	375	
KV 075 01	075B KK 075.B	475 mm	344 mm	214 mm	075A	300	401	
KV 075 02	075C KK 075.C	475 mm	344 mm	214 mm	075A	300	401	
KV 075W 01	075W KV 075.W	480 mm	310 mm	323 mm	075W	300	401	
KV 6.6.1	088A KV 088.A	375 mm	561 mm	297 mm	088A			
KV 6.6.2	096A KV 096.A	445 mm	520 mm	284 mm	096A	605	420	
KV 6.6.2 TV	096B KV 096.B	445 mm	520 mm	284 mm	096A	605	420	
KV 6.6.3 C	096K KV 096.K	475 mm	520 mm	330 mm	096K	605	420	
KV 6.6.3 L	096H KV 096.H	475 mm	520 mm	330 mm	096H	605	420	
KV 6.6.3 R	096G KV 096.G	475 mm	520 mm	330 mm	096G	605	420	
KV 6.6.4	125A KV 125.A	270 mm	538 mm	213 mm	125A	548	263	
LAREDO 01	181A KK 181.A	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 01 AKUM	181C KK 181.C	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 02	181A KK 181.A	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 02 AKUM	181C KK 181.C	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 03	181A KK 181.A	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 03 AKUM	181C KK 181.C	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 04	181A KK 181.A	400 mm	344 mm	290 mm	181F	345	373	
LAREDO 04 AKUM	181C KK 181.C	400 mm	344 mm	290 mm	181F	345	373	
LAREDO F 01	181F KK 181.F	400 mm	344 mm	290 mm	181F	345	373	
LAREDO F 02	181F KK 181.F	400 mm	344 mm	290 mm	181F	345	373	
LAREDO F 03	181F KK 181.F	400 mm	344 mm	290 mm	181F	345	373	
LAREDO F 04	181F KK 181.F	400 mm	344 mm	290 mm	181F	345	373	
LAREDO T 01	181B KK 181.B	400 mm	344 mm	290 mm	181F	345	373	
LAREDO T 02	181B KK 181.B	400 mm	344 mm	290 mm	181F	345	373	
LAREDO T 03	181B KK 181.B	400 mm	344 mm	290 mm	181F	345	373	
LAREDO T 04	181B KK 181.B	400 mm	344 mm	290 mm	181F	345	373	
LASCAR M 01	136D KK 136.D	330 mm	520 mm	270 mm	136D	470	273	
LASCAR M 02	136D KK 136.D	330 mm	520 mm	270 mm	136D	470	273	
LUANCO 01	064B KK 064.B	472 mm	348 mm	224 mm	064B	400	505	
LUANCO 02	064B KK 064.B	472 mm	348 mm	224 mm	064B	400	505	
LUANCO 03	064B KK 064.B	472 mm	348 mm	224 mm	064B	400	505	
LUANCO 04	064B KK 064.B	472 mm	348 mm	224 mm	064B	400	505	
LUGO 01	097A KK 097.A	495 mm	340 mm	216 mm	082A	330	418	
LUGO 01 BACK	097E KK 097.E	495 mm	340 mm	216 mm	082A	330	418	
LUGO 01 W	097D KK 097.D	495 mm	340 mm	216 mm	082A	330	418	
LUGO 02	097A KK 097.A	495 mm	340 mm	216 mm	082A	330	418	
LUGO 02 BACK	097E KK 097.E	495 mm	340 mm	216 mm	082A	330	418	
LUGO 02 W	097D KK 097.D	495 mm	340 mm	216 mm	082A	330	418	
LUGO 03	097A KK 097.A	495 mm	340 mm	216 mm	082A	330	418	
LUGO 03 BACK	097E KK 097.E	495 mm	340 mm	216 mm	082A	330	418	
LUGO 03 W	097D KK 097.D	495 mm	340 mm	216 mm	082A	330	418	
LUGO 04	097A KK 097.A	495 mm	340 mm	216 mm	082A	330	418	
LUGO 04 BACK	097E KK 097.E	495 mm	340 mm	216 mm	082A	330	418	
LUGO 04 W	097D KK 097.D	495 mm	340 mm	216 mm	082A	330	418	
LUGO AKUM 01	097B KK 097.B	495 mm	340 mm	216 mm	082A	330	418	
LUGO AKUM 02	097B KK 097.B	495 mm	340 mm	216 mm	082A	330	418	
LUGO AKUM 03	097B KK 097.B	495 mm	340 mm	216 mm	082A	330	418	
LUGO AKUM 04	097B KK 097.B	495 mm	340 mm	216 mm	082A	330	418	
MALAGA N01	075B KK 075.B	475 mm	344 mm	214 mm	075A	300	401	
MALAGA N02	075B KK 075.B	475 mm	344 mm	214 mm	075A	300	401	
MALAGA N03	075F KK 075.F	475 mm	344 mm	214 mm	075A	300	401	
MALAGA W01	075W KV 075.W	480 mm	310 mm	323 mm	075W	300	401	
MALAGA W02	075W KV 075.W	480 mm	310 mm	323 mm	075W	300	401	
MALAGA W03	075W KV 075.W	480 mm	310 mm	323 mm	075W	300	401	
MANGALA	012D KK 012.D	525 mm	351 mm	281 mm	012A	590	500	
MANGALA 02	012D KK 012.D	525 mm	351 mm	281 mm	012A	590	500	
MANGALA 03	012D KK 012.D	525 mm	351 mm	281 mm	012A	590	500	
MANGALA 04	012D KK 012.D	525 mm	351 mm	281 mm	012A	590	500	
MERU 01	027A KK 027.A	470 mm	355 mm	285 mm	007A	330	480	
MERU 02	027A KK 027.A	470 mm	355 mm	285 mm	007A	330	480	
MERU 05	027A KK 027.A	470 mm	355 mm	285 mm	007A	330	480	
MERU N 01	129B KK 129.B	500 mm	340 mm	230 mm	129B	360	413	
MERU N 02	129B KK 129.B	500 mm	340 mm	230 mm	129B	360	413	
MERU N 03	129B KK 129.B	500 mm	340 mm	230 mm	129B	360	413	
MERU N 04	129B KK 129.B	500 mm	340 mm	230 mm	129B	360	413	
MERU N 05	129B KK 129.B	500 mm	340 mm	230 mm	129B	360	413	
MONARO 01	012H KK 012.H	460 mm	355 mm	355 mm	012H	470	490	
MONARO 02	012H KK 012.H	460 mm	355 mm	355 mm	012H	470	490	
MONARO 02 B	012H KK 012.H	460 mm	355 mm	355 mm	012H	470	490	
MONARO 03	012H KK 012.H	460 mm	355 mm	355 mm	012H	470	490	
NATURA 00	082G KK 082.G	495 mm	340 mm	216 mm	082A	330	450	
NATURA 01	082F KK 082.F	495 mm	340 mm	216 mm	082A	330	450	

Nazwa produktu	Numer produktu	Wymiary komory spalania				Wymiary przeszklenia drzwiczek		
		Wysokość	Szerokość	Głębokość		Wysokość	Szerokość	Głębokość
NATURA 02	082G KK 082.G	495 mm	340 mm	216 mm	082A	330	450	
NATURA 10	082M KK 082.M	495 mm	340 mm	216 mm	082A	330	450	
NATURA 11	082L KK 082.L	495 mm	340 mm	216 mm	082A	330	450	
NAVIA 01	182A KK 182.A	380 mm	518 mm	250 mm	182A	540	370	
NAVIA 02	182A KK 182.A	380 mm	518 mm	250 mm	182A	540	370	
NAVIA 03	182A KK 182.A	380 mm	518 mm	250 mm	182A	540	370	
NAVIA 04	182A KK 182.A	380 mm	518 mm	250 mm	182A	540	370	
NEMO 06	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO A 04	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO A 05	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO A 06	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO A 09	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO AZ04	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO AZ06	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO W 04	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO W 08	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
NEMO W 10	070A KK 070.A	460 mm	284 mm	320 mm	070A	280	510	
OFEN 01	082J KK 082.J	495 mm	340 mm	216 mm	082J	330	450	
OFEN 02	082K KK 082.K	495 mm	340 mm	216 mm	082K	330	450	
OFEN 06	085B KK 085.B	440 mm	620 mm	285 mm	085B	590	360	
OFEN 07	060B KK 060.B	470 mm	421 mm	466 mm	060A	505	478	
OFEN 08	056E KK 056.E	520 mm	346 mm	224 mm	056E	375	440	
OFEN 09	023P KK 023.P	480 mm	413 mm	264 mm	023P	540	530	
OFEN A08	056L KK 056.L	520 mm	346 mm	224 mm	056L	375	440	
OGUN 03	008K KK 008.K	350 mm	352 mm	245 mm	008A	310	350	
OPALIS 01	155C KK 155.C	428 mm	297 mm	323 mm	155C	381	790	108
OPALIS 02	155C KK 155.C	428 mm	297 mm	323 mm	155C	381	790	108
OPALIS 03	155C KK 155.C	428 mm	297 mm	323 mm	155C	381	790	108
OPALIS 04	155C KK 155.C	428 mm	297 mm	323 mm	155C	381	790	108
OSLO	119A KK 119.A	295 mm	510 mm	281 mm	119A	230	455	
OVALIS 01	183A KK 183.A	470 mm	408 mm	280 mm	183A	524	410	
OVALIS 01 A	183B KK 183.B	470 mm	408 mm	280 mm	183B	524	410	
OVALIS 02	183A KK 183.A	470 mm	408 mm	280 mm	183A	524	410	
OVALIS 02 A	183B KK 183.B	470 mm	408 mm	280 mm	183B	524	410	
OVALIS 03	183A KK 183.A	470 mm	408 mm	280 mm	183A	524	410	
OVALIS 03 A	183B KK 183.B	470 mm	408 mm	280 mm	183B	524	410	
OVALIS 04	183A KK 183.A	470 mm	408 mm	280 mm	183A	524	410	
OVALIS 04 A	183B KK 183.B	470 mm	408 mm	280 mm	183B	524	410	
OVALIS 05	183A KK 183.A	470 mm	408 mm	280 mm	183A	524	410	
OVALIS 05 A	183B KK 183.B	470 mm	408 mm	280 mm	183B	524	410	
REGGIO 01	500I KK 500.IU	390 mm	284 mm	260 mm	500A	264	420	
RIANO 01	085A KK 085.A	440 mm	620 mm	285 mm	085A	590	360	
RIANO 01 W	085E KK 085.E	329 mm	554 mm	252 mm	085E	560	392	
RIANO 02	085A KK 085.A	440 mm	620 mm	285 mm	085A	590	360	
RIANO 02 W	085E KK 085.E	329 mm	554 mm	252 mm	085E	560	392	
RIANO 03	085A KK 085.A	440 mm	620 mm	285 mm	085A	590	360	
RIANO 03 W	085E KK 085.E	329 mm	554 mm	252 mm	085E	560	392	
RIANO N 01	085D KK 085.D	440 mm	620 mm	285 mm	085D	600	355	
RIANO N 02	085D KK 085.D	440 mm	620 mm	285 mm	085D	600	355	
RIANO N 03	085D KK 085.D	440 mm	620 mm	285 mm	085D	600	355	
RIANO N 04	085D KK 085.D	440 mm	620 mm	285 mm	085D	600	355	
RIANO N 05	085D KK 085.D	440 mm	620 mm	285 mm	085D	600	355	
RIO W	085F KK 085.F	329 mm	554 mm	252 mm	085F	560	392	
SABA 03	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SABA 04	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SABA 04A	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SABA 05	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SABA 05A	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SABA 12	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SABA 14A	048A KK 048.A	460 mm	360 mm	290 mm	048A	330	500	
SALEM 01	182B KK 182.B	380 mm	518 mm	220 mm	182C	523	362	
SALEM 02	182B KK 182.B	380 mm	518 mm	220 mm	182C	523	362	
SALEM 03	182B KK 182.B	380 mm	518 mm	220 mm	182C	523	362	
SALEM 04	182B KK 182.B	380 mm	518 mm	220 mm	182C	523	362	
SIENA 01	500A KK 500.AU	390 mm	284 mm	260 mm	500A	263	420	
SIENA 02	500C KK 500.CS	390 mm	352 mm	260 mm	500C	340	420	
SORBAS	502A KK 502.A	400 mm	360 mm	271 mm	502A	340	420	
SORBAS 02	502A KK 502.A	400 mm	360 mm	271 mm	502A	340	420	
SORIA	134A KK 134.A	490 mm	307 mm	376 mm	134A	400	396	
STROMBOLI 01	023A KK 023.A	480 mm	413 mm	264 mm	023A	410	487	
STROMBOLI 02	023A KK 023.A	480 mm	413 mm	264 mm	023A	410	487	
STROMBOLI 03	023A KK 023.A	480 mm	413 mm	264 mm	023A	410	487	
STROMBOLI 04	023A KK 023.A	480 mm	413 mm	264 mm	023A	410	487	
STROMBOLI N01	023L KK 023.L	480 mm	413 mm	264 mm	023A	540	530	
STROMBOLI N02	023L KK 023.L	480 mm	413 mm	264 mm	023A	540	530	
STROMBOLI N03	023L KK 023.L	480 mm	413 mm	264 mm	023A	540	530	
STROMBOLI N04	023L KK 023.L	480 mm	413 mm	264 mm	023A	540	530	
TALA 01	082A KK 082.A	495 mm	340 mm	216 mm	082A	330	445	
TALA 02	082A KK 082.A	495 mm	340 mm	216 mm	082A	330	445	
TALA 03	082A KK 082.A	495 mm	340 mm	216 mm	082A	330	445	
TALA 04	082B KK 082.B	495 mm	340 mm	216 mm	082A	330	445	
TALA 05	082B KK 082.B	495 mm	340 mm	216 mm	082A	330	445	
TALA 06	082C KK 082.C	495 mm	340 mm	216 mm	082A	330	445	
TALA 07	082C KK 082.C	495 mm	340 mm	216 mm	082A	330	445	
TALA 08	082C KK 082.C	495 mm	340 mm	216 mm	082A	330	445	
TALA 09	082D KK 082.D	495 mm	340 mm	216 mm	082A	330	445	
TALA 10	082E KK 082.E	495 mm	340 mm	216 mm	082A	330	445	
TALA 11	082H KK 082.H	495 mm	340 mm	216 mm	082A	330	445	
TALA 12	082B KK 082.B	495 mm	340 mm	216 mm	082A	330	445	
TALA 13	012D KK 012.D	495 mm	340 mm	216 mm	082A	330	445	
TALA 14	082E KK 082.E	495 mm	340 mm	216 mm	082A	330	445	
TALA 15	082E KK 082.E	495 mm	340 mm	216 mm	082A	330	445	

Nazwa produktu	Numer produktu	Wymiary komory spalania				Wymiary przeszklenia drzwiczek		
		Wysokość	Szerokość	Głębokość		Wysokość	Szerokość	Głębokość
TALA 16	082S KK 082.S	495 mm	340 mm	216 mm	082A	330	445	
TALA 17	082S KK 082.S	495 mm	340 mm	216 mm	082A	330	445	
TALA 18	082S KK 082.S	495 mm	340 mm	216 mm	082A	330	445	
TALA 19	082T KK 082.T	495 mm	340 mm	216 mm	082T	330	445	
TALA 20	082T KK 082.T	495 mm	340 mm	216 mm	082T	330	445	
TALA 21	082U KK 082.U	495 mm	340 mm	216 mm	082U	330	445	
TALA 22	082V KK 082.V	495 mm	340 mm	216 mm	082V	330	445	
TEIDE 05	038A KK 038.A	460 mm	235 mm	300 mm	038A	250	480	
TEIDE 06	038A KK 038.A	460 mm	235 mm	300 mm	038A	250	480	
TEIDE 06A	038A KK 038.A	460 mm	235 mm	300 mm	038A	250	480	
TEIDE 08	038A KK 038.A	460 mm	235 mm	300 mm	038A	250	480	
TEIDE 10	038A KK 038.A	460 mm	235 mm	300 mm	038A	250	480	
TEIDE 11	038A KK 038.A	460 mm	235 mm	300 mm	038A	250	480	
TORE	023L KK 023.L	480 mm	413 mm	264 mm	023A	540	530	
TRIDENT 01	076A KK 076.A	460 mm	290 mm	350 mm	076A	420	410	
TRIDENT 04	076A KK 076.A	460 mm	290 mm	350 mm	076A	420	410	
TRIDENT 08	076A KK 076.A	460 mm	290 mm	350 mm	076A	420	410	
TRIDENT 09	076A KK 076.A	460 mm	290 mm	350 mm	076A	420	410	
TRIDENT 11	076A KK 076.A	460 mm	290 mm	350 mm	076A	420	410	
TUDELA 01	026B KK 026.B	520 mm	346 mm	224 mm	026A	330	445	
TUDELA 02	026B KK 026.B	520 mm	346 mm	224 mm	026A	330	445	
TUDELA 03	026B KK 026.B	520 mm	346 mm	224 mm	026A	330	445	
TUDELA 04	026B KK 026.B	520 mm	346 mm	224 mm	026A	330	445	
VESUV N 02	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
VESUV N 03	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
VESUV N 05	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
VESUV N 06	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
VESUV N 07	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
VESUV N 08	007L KK 007.L	460 mm	360 mm	275 mm	007L	390	465	
VULCANO 01	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 02	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 02A	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 03	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 04	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 05	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 06	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 07	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 08	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 10	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 12	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 12A	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 15	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 17	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 17A	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 18	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 18A	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 19	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 23	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 24	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 25	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 28	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 28A	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 29	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULCANO 29A	081A KK 081.A	460 mm	284 mm	350 mm	081A	350	400	
VULR 01	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 02	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 03	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 04	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 06A	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 07	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 12	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 14	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 18	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR 20	081D KK 081.D	460 mm	284 mm	350 mm	081D	350	400	
VULR H 01	081E KK 081.E	460 mm	284 mm	350 mm	081E	350	400	
VULR H 02	081D KK 081.D	460 mm	284 mm	350 mm	081E	350	400	
VULR H 04	081D KK 081.D	460 mm	284 mm	350 mm	081E	350	400	
VULR H 06	081D KK 081.D	460 mm	284 mm	350 mm	081E	350	400	
VULR H 12	081D KK 081.D	460 mm	284 mm	350 mm	081E	350	400	
VULSINI A 01	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 02	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 03	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 04	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 05	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 06	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 17	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 23	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	
VULSINI A 28	081B KK 081.B	460 mm	284 mm	350 mm	081B	350	400	